



## NGOC Clinical Trials List - Printable Version

### Head and Neck (C00-C14)

1. Locally Advanced
2. 1st Line Recurrent / Metastatic
3. Previously Treated

### Esophagus/Gastric (C15-C16)

1. Stage II- IV, Neo-adjuvant
2. First Line, Recurrent or Metastatic
3. Previously Treated

#### a. **AZ D9802C00001 (Clarity)** AZD0901 compared with Investigator's choice of therapy in participants

- i. Arm 1: AZD0901 2.2 mg/kg IV Q3W
- ii. CLOSED - Arm 2: AZD0901 1.8 mg/kg IV Q3W
- iii. Arm 3: Investigator's choice of therapy (ramucirumab, paclitaxel, docetaxel, irinotecan, TAS-102, and apatinib)

Open 8/13/24

### Biliary (K83.9)

1. First Line Therapy

### Pancreas (C25)

1. Adjuvant / NeoAdjuvant
2. 1st Line, Metastatic
3. Previously Treated

### Colon & Rectum (C18-C20)

1. Stage III, Resected Colon, Adjuvant
2. Stage IV, Metastatic, 1st Line, Colon or Rectum
3. Metastatic, 3rd Line, Colon

#### a. **AbbVie M24-064 Phase 3 comparing Abbv-400 Monotherapy vs Lonsurf+Bevacizumab in subj**

- i. CLOSED: Stage 1 Arm A: AbbV-400 2.0mg/kg IV Q3W
  - ii. CLOSED: Stage 1 Arm B: AbbV-400 2.4mg/kg IV Q3W
  - iii. NOT OPEN Stage 2 Arm A: AbbV-400 Optimal Dose IV Q3W
  - iv. NOT OPEN Stage 2 Arm B: LONSURF 35mg/m2 PO BID + Bevacizumab 5mg/kg IV q2w
4. Metastatic 2nd or 3rd Line, KRAS Mutated
  5. Metastatic 2nd or 3rd Line, KRAS Wild Type
  6. Refractory

Pending 3/10/25

### Lung, Squamous Cell (C34)

1. Stage IV, Metastatic
2. Second Line

### Lung, Non-Small Cell (C34)

1. Stage IB, II, IIIA; Adjuvant
2. Stage 1B, II, Resectable IIIA
3. Stage II-III Resected
4. Stage IIIA-IIIB, Locally Advanced, Unresectable
5. Stage IIB-IIIB Resected and Chemotherapy-Naive Stage IV
6. First Line- Metastatic
7. Stage IV, Metastatic
8. 2nd or 3rd Line
9. Metastatic, Previously Treated

#### a. **MK 2870-004 Phase 3 Study of MK-2870 vs Chemo Previously Treated Advanced or Metas**

- i. Arm A: MK-2870 4mg/KG IV Days 1,15, & 29 every 6 week cycle
- ii. Arm B: Investigator's choice of Docetaxel 75mg/m2 IV or Pemetrexed 500mg/m2 IV on Days 1 and 22 of 6 week cycle

Open 1/9/24

### Mesothelioma (C45)

- 1.

### Lung, Small Cell (C34)

1. Extensive Stage, Small Cell Lung Ca

#### a. **BMS CA245-0001 A Randomized, Double-Blind, Multicenter Phase 3 Trial**

- i. Arm A:BMS-986489 420mg/nivolumab 360 mg IV+carboplatin+etoposide
- ii. Arm B: atezolizumab 1200mg IV+carboplatin+etoposide

2. Previously Treated

Open 1/24/25

### Breast, Adjuvant (C50)

1. NeoAdjuvant, Stage I, II, III
2. Adjuvant

#### a. **GS-US-595-6184 (ASCENT-05) A Randomized, Open-label, Phase 3 Study of Adjuvant Sacituzumab Govite**

- i. Arm A: Sacituzumab Govitecan 10mg/kg IV Days 1 and 8 + Pembrolizumab 200mg IV Day 1 Q3W X 8 cycles
- ii. Arm B: Treatment of Physician's Choice: Pembrolizumab 200mg IV Day 1 Q3 weeks X 8 cycles OR Pembrolizumab 200 mg IV Day 1 and Capecitabine 1000 mg/m2 PO BID D1-D14 Q3 Weeks X 8 cycles

Open 1/31/23

### Breast, Her-2 Positive (C50)

1. NeoAdjuvant HER-2 Positive
2. Adjuvant, HER-2 Positive
3. Metastatic, HER-2 Positive, 1st Line
4. Metastatic, Previously Treated, Her-2 Positive

### Breast, Advanced (C50)

1. Stage IV, Metastatic, 1st Line

#### a. **RGN W045654 (INAVO123) A PHASE III, MULTICENTER, RANDOMIZED, DOUBLE-BLIND, PLACEBO-CONTROLLED**

- i. Arm A: Inavolisib 9mg tablet PO QD days 1-28 of 28 day cycle + palbociclib 125mg PO QD D1-21 of 28 + letrozole 2.5mg PO QD
- ii. Arm B: Placebo tablet PO QD days 1-28 of 28 day cycle + palbociclib 125mg PO QD D1-21 of 28 + letrozole 2.5mg PO QD

2. Stage IV, Metastatic, ER -
3. Stage IV, Metastatic, Previously Treated
4. Stage IV, Metastatic, Triple Negative Breast Cancer

Open 5/23/25

### Breast, ER Positive (C50)

1. Adjuvant

#### a. **AZ D8535C00001 (Cambria 2) Adjuvant Endocrine-based Therapy Study of Camizestrant (AZD9833) in ER**

- i. Arm A: Standard ET (AI or tamoxifen)+/-abemaciclib (+/-LHRH agonist\*)
- ii. Arm B: Camizestrant 75 mg/daily +/- abemaciclib (+/- LHRH agonist\*)

2. Metastatic, First Line
3. Metastatic, Prior Hormonal Therapy

Open 3/5/24

### Melanoma (C43)

1. Adjuvant
2. Locally advanced or Metastatic
3. Previously Treated

### Ovarian (C56)

1. Previously Treated

### Bladder (C67)

- 1.
2. Urothelial

### Renal (C64)

1. Adjuvant, Phase III
2. First Line Treatment, Advanced or Metastatic
3. Advanced, Metastatic
4. Previously Treated

### Prostate (C61)

1. Hormone Refractory, 1st Line
2. 1st line Metastatic
3. Metastatic, 2nd Line Prostate
4. Hormone Refractory; Bone Predominant 3rd Line or Greater

### Sarcoma (C46-C49)

1. Sarcoma, Previously Treated	
<b>Adrenal (C74)</b>	
1. Previously Treated	
<b>Lymphoma (C82-C88)</b>	
1. Indolent, previously treated	
2. Follicular, First Line	
3. Indolent, Relapsed	
4. Relapsed or Refractory; DLBCL, FL	
5. Large Cell Lymphoma, Relapsed/Refractory	
6. Relapsed and Refractory Follicular Lymphoma	
<b>a. BMS CA073-1003 A Phase 3, Multicenter, Randomized, Open Label Study to Compare the Ef</b>	
i. Arm A: R-Golca 0.4mg D1-14/48 days+Rituximab x5cycles followed by golcadomide monotherapy for up to 12 cycles of toral therapy	
ii. Arm B: R-Len 20mg, Days 1-21, cycles 1-12,rituximab 375mg/m2, Days 1,8,15,and 22 in cycle 1; Day 1 in cycles 2-5	
iii. Arm B: R-Len 20mg, Days 1-21, cycles 1-12,rituximab 375mg/m2, Days 1,8,15,and 22 in cycle 1; Day 1 in cycles 2-5	
iv. Arm C: R-CHOP 6 cycles	
7. Relapsed and Refractory Follicular or Marginal Zone Lymphoma	
8. Diffuse Large Cell, First Line	
9. Mantle Cell Lymphoma	
<b>CNS (C71)</b>	
1. Glioblastoma Multiforme	
<b>Leukemia (C91-C92)</b>	
1. CLL, First Line	
<b>a. BGB-11417-204 A Phase 2 Study to Investigate Sonrotoclax Combined With Zanubrutinib</b>	
i. Arm A: Zanubrutinib 320mg PO QD for 3 cycles followed by Sonrotoclax (BGB-11417)Ramp up to Target 320mg QD PO + Zanbrutinib (BGB-3111) 320mg PO for 12 Cycles	
ii. Arm B: Zanubrutinib (BGB-3111) orally at 320 mg daily dose 28d Cycle Until Intolerance or PD	
2. CLL, Relapsed or Refractory	
3. CML	
<b>Myeloma (C90)</b>	
1. 1st Line	
2. Relapsed / Refractory 1-3 Lines	
3. Relapsed / Refractory > or equal to 2 Lines	
<b>MDS (D46)</b>	
1. 1st Line	
2. Observational Registry	
<b>Unknown Primary (199)</b>	
1. 1st Line	
<b>Other</b>	
1. Tissue Studies	
2. Observational Studies	
<b>Multiple Sites</b>	
1. Phase I	
2. EMD MS100070-0176 (EMR100070-001 Rollover)	
3. Novartis Signature Series	
4. Solid Tumors, Refractory	
5. Solid Tumors, Advanced or Metastatic	
<b>Supportive Care</b>	
1. Bone Mets	
2. Anemia	
3. Thrombocytopenia	
this list was last updated on: 7/3/25	